PROFI**tap**

Booster

Network Packet Broker Optimization

Enhancing ROI up to 800%

The PROFITAP Booster is our signature solution for improving your monitoring system's density at a significantly lower cost than ever before possible. Since Network Packet Brokers are traditionally extremely expensive, each and every available input port immediately becomes an invaluable asset.

The Booster is specifically designed to transmit traffic from up to 8 ports (4 in-line links) into a single NPB port as opposed to the traditionally required 8. By optimizing the number of ports utilized on your Network Packet Broker, the Booster allows for unprecedented savings and outstanding return on investment.

The Booster also enables a significant reduction in occupied rack space. The PROFITAP Booster is quickly recognized as an imperative instrument for reducing budgetary and rack space costs.






C8R-X1

Rack-mountable model Up to 3 in 1U rack space

Overview

- Aggregation of 8 RJ45 10/100/1G links into 1 SFP+ 1G-10G output
- · Direct link aggregation, no management, installation or driver required
- · No bottlenecking; full line-rate performance with reduced delay and no dropped packets
- VLAN Tagging
- Non-intrusive to the network
- Redundant powering
- In case of complete power failure, the Booster keeps the link up and switches to a fully passive mode, guaranteeing a fully operational network at all times



Connectors 8 x RJ45 8 pins • 1 x SFP+ • 2 x 12 VDC

LEDs 18 x Speed and Link Activity • 2 x Power

Dimensions (WxDxH) 120 x 190 x 41 mm

4.72 x 7.48 x 1.61 in

Weight 778 a

1.72 lb

Accessories 2 x 90-240 V Triple Output PSU

Compliance RoHS • CE

Profitap HQ B.V. High Tech Campus 9 5656 AE Eindhoven

The Netherlands +31 (0) 40 782 0880

www.profitap.com